

Certificat UE de Conformité

EU Declaration of Conformity



Société/Company : CITEL

Adresse/ Address : 2, rue Troyon 92310, Sèvres, France

Marque/ Trade Mark : CITEL

Gamme de produits : Parafoudre Type 2 pour réseau BT

Product Range : Type 2 SPD for AC Network

Références/Models	Utilisation / Application
DS40G-600	Neutral puggable module
DS41-60	1-pole Type 2 SPD for 60 Vac network
DS41-120	1-pole Type 2 SPD for 120 Vac network
DS41-230	1-pole Type 2 SPD for 230 Vac network
DS41-275	1-pole Type 2 SPD for 230 Vac network
DS41-280	1-pole Type 2 SPD for 230 Vac network
DS41-320	1-pole Type 2 SPD for 230 Vac network
DS41-385	1-pole Type 2 SPD for 230 Vac network
DS41-400	1-pole Type 2 SPD for 230/400 Vac network
DS41-440	1-pole Type 2 SPD for 230/400 Vac network
DS41-480	1-pole Type 2 SPD for 277/480 Vac network
DS41-600	1-pole Type 2 SPD for 347/600 Vac network
DS41-690	1-pole Type 2 SPD for 400/690 Vac network
DS41-1000	1-pole Type 2 SPD for 1000 Vac network
DS41S-60	1-pole Type 2 SPD for 60 Vac network (with remote signal)
DS41S-120	1-pole Type 2 SPD for 120 Vac network (with remote signal)
DS41S-230	1-pole Type 2 SPD for 230 Vac network (with remote signal)
DS41S-275	1-pole Type 2 SPD for 230 Vac network (with remote signal)
DS41S-280	1-pole Type 2 SPD for 230 Vac network (with remote signal)
DS41S-320	1-pole Type 2 SPD for 230 Vac network (with remote signal)
DS41S-385	1-pole Type 2 SPD for 230 Vac network (with remote signal)

DS41S-400	1-pole Type 2 SPD for 230/400 Vac network (with remote signal)
DS41S-440	1-pole Type 2 SPD for 230/400 Vac network (with remote signal)
DS41S-480	1-pole Type 2 SPD for 277/480 Vac network (with remote signal)
DS41S-600	1-pole Type 2 SPD for 347/600 Vac network (with remote signal)
DS41S-690	1-pole Type 2 SPD for 400/690 Vac network (with remote signal)
DS41S-1000	1-pole Type 2 SPD for 1000 Vac network (with remote signal)

DS42-120	Single phase Type 2 SPD for 120 Vac network
DS42-230	Single phase Type 2 SPD for 230 Vac network
DS42-275	Single phase Type 2 SPD for 230 Vac network
DS42-280	Single phase Type 2 SPD for 230 Vac network
DS42-320	Single phase Type 2 SPD for 230 Vac network
DS42-385	Single phase Type 2 SPD for 230 Vac network
DS42-400	Single phase Type 2 SPD for 230/400 Vac network
DS42-440	Single phase Type 2 SPD for 230/400 Vac network
DS42-480	Single phase Type 2 SPD for 277/480 Vac network
DS42-600	Single phase Type 2 SPD for 347/600 Vac network
DS42-690	Single phase Type 2 SPD for 400/690 Vac network
DS42-120/G	Single phase Type 2 SPD for 230/400 Vac network
DS42-230/G	Single phase Type 2 SPD for 230/400 Vac network
DS42-275/G	Single phase Type 2 SPD for 230/400 Vac network
DS42-280/G	Single phase Type 2 SPD for 230/400 Vac network
DS42-320/G	Single phase Type 2 SPD for 230/400 Vac network
DS42-385/G	Single phase Type 2 SPD for 230/400 Vac network
DS42-400/G	Single phase Type 2 SPD for 230/400 Vac network
DS42-440/G	Single phase Type 2 SPD for 230/400 Vac network
DS42-480/G	Single phase Type 2 SPD for 277/480 Vac network
DS42-600/G	Single phase Type 2 SPD for 347/600 Vac network
DS42-690/G	Single phase Type 2 SPD for 400/690 Vac network
DS42S-120	Single phase Type 2 SPD for 120 Vac network (with remote signal)
DS42S-230	Single phase Type 2 SPD for 230 Vac network (with remote signal)
DS42S-275	Single phase Type 2 SPD for 230 Vac network (with remote signal)
DS42S-280	Single phase Type 2 SPD for 230 Vac network (with remote signal)
DS42S-320	Single phase Type 2 SPD for 230 Vac network (with remote signal)
DS42S-385	Single phase Type 2 SPD for 230 Vac network (with remote signal)

DS42S-400	Single phase Type 2 SPD for 230/400 Vac network (with remote signal)
DS42S-440	Single phase Type 2 SPD for 230/400 Vac network (with remote signal)
DS42S-480	Single phase Type 2 SPD for 277/480 Vac network (with remote signal)
DS42S-600	Single phase Type 2 SPD for 347/600 Vac network (with remote signal)
DS42S-690	Single phase Type 2 SPD for 400/690 Vac network (with remote signal)
DS42S-120/G	Single phase Type 2 SPD for 120 Vac network (with remote signal)
DS42S-230/G	Single phase Type 2 SPD for 230 Vac network (with remote signal)
DS42S-275/G	Single phase Type 2 SPD for 230 Vac network (with remote signal)
DS42S-280/G	Single phase Type 2 SPD for 230 Vac network (with remote signal)
DS42S-320/G	Single phase Type 2 SPD for 230 Vac network (with remote signal)
DS42S-385/G	Single phase Type 2 SPD for 230 Vac network (with remote signal)
DS42S-400/G	Single phase Type 2 SPD for 230/400 Vac network (with remote signal)
DS42S-440/G	Single phase Type 2 SPD for 230/400 Vac network (with remote signal)
DS42S-480/G	Single phase Type 2 SPD for 277/480 Vac network (with remote signal)
DS42S-600/G	Single phase Type 2 SPD for 347/600 Vac network (with remote signal)
DS42S-690/G	Single phase Type 2 SPD for 400/690 Vac network (with remote signal)

DS43-120	3-phase Type 2 SPD for 120/208 Vac network
DS43-230	3-phase Type 2 SPD for 230/400 Vac network
DS43-275	3-phase Type 2 SPD for 230/400 Vac network
DS43-280	3-phase Type 2 SPD for 230/400 Vac network
DS43-320	3-phase Type 2 SPD for 230/400 Vac network
DS43-385	3-phase Type 2 SPD for 230/400 Vac network
DS43-400	3-phase Type 2 SPD for 230/400 Vac network
DS43-440	3-phase Type 2 SPD for 230/400 Vac network
DS43-480	3-phase Type 2 SPD for 277/480 Vac network
DS43-600	3-phase Type 2 SPD for 274/600 Vac network
DS43-690	3-phase Type 2 SPD for 400/690 Vac network
DS43S-120	3-phase Type 2 SPD for 120/208 Vac network (with remote signal)
DS43S-230	3-phase Type 2 SPD for 230/400 Vac network (with remote signal)
DS43S-275	3-phase Type 2 SPD for 230/400 Vac network (with remote signal)
DS43S-280	3-phase Type 2 SPD for 230/400 Vac network (with remote signal)
DS43S-320	3-phase Type 2 SPD for 230/400 Vac network (with remote signal)
DS43S-385	3-phase Type 2 SPD for 230/400 Vac network (with remote signal)

DS43S-400	3-phase Type 2 SPD for 230/400 Vac network (with remote signal)
DS43S-440	3-phase Type 2 SPD for 230/400 Vac network (with remote signal)
DS43S-480	3-phase Type 2 SPD for 277/480 Vac network (with remote signal)
DS43S-600	3-phase Type 2 SPD for 274/600 Vac network (with remote signal)
DS43S-690	3-phase Type 2 SPD for 400/690 Vac network (with remote signal)
DS43-120/G	3-phase Type 2 SPD for 120/208 Vac network
DS43-230/G	3-phase Type 2 SPD for 230/400 Vac network
DS43S-120/G	3-phase Type 2 SPD for 120/208 Vac network (with remote signal)
DS43S-230/G	3-phase Type 2 SPD for 230/400 Vac network (with remote signal)

DS44-120	3-phase + N Type 2 SPD for 120/208 Vac network
DS44-230	3-phase + N Type 2 SPD for 230/400 Vac network
DS44-240/M	3-phase + N Type 2 SPD for 230/400 Vac network
DS44-275	3-phase + N Type 2 SPD for 230/400 Vac network
DS44-280	3-phase + N Type 2 SPD for 230/400 Vac network
DS44-320	3-phase + N Type 2 SPD for 230/400 Vac network
DS44-385	3-phase + N Type 2 SPD for 230/400 Vac network
DS44-400	3-phase + N Type 2 SPD for 230/400 Vac network
DS44-440	3-phase + N Type 2 SPD for 230/400 Vac network
DS44-480	3-phase + N Type 2 SPD for 277/480 Vac network
DS44-600	3-phase + N Type 2 SPD for 274/600 Vac network
DS44-690	3-phase + N Type 2 SPD for 400/690 Vac network
DS44-120/G	3-phase + N Type 2 SPD for 120/208 Vac network
DS44-230/G	3-phase + N Type 2 SPD for 230/400 Vac network
DS44-275/G	3-phase + N Type 2 SPD for 230/400 Vac network
DS44-280/G	3-phase + N Type 2 SPD for 230/400 Vac network
DS44-320/G	3-phase + N Type 2 SPD for 230/400 Vac network
DS44-385/G	3-phase + N Type 2 SPD for 230/400 Vac network
DS44-400/G	3-phase + N Type 2 SPD for 230/400 Vac network
DS44-440/G	3-phase + N Type 2 SPD for 230/400 Vac network
DS44-480/G	3-phase + N Type 2 SPD for 277/480 Vac network
DS44-600/G	3-phase + N Type 2 SPD for 274/600 Vac network
DS44-690/G	3-phase + N Type 2 SPD for 400/690 Vac network

DS44S-120	3-phase + N Type 2 SPD for 120/208 Vac network (with remote signal)
DS44S-230	3-phase + N Type 2 SPD for 230/400 Vac network (with remote signal)
DS44S-240/M	3-phase + N Type 2 SPD for 230/400 Vac network (with remote signal)
DS44S-275	3-phase + N Type 2 SPD for 230/400 Vac network (with remote signal)
DS44S-280	3- phase + N Type 2 SPD for 230/400 Vac network (with remote signal)
DS44S-320	3- phase + N Type 2 SPD for 230/400 Vac network (with remote signal)
DS44S-385	3- phase + N Type 2 SPD for 230/400 Vac network (with remote signal)
DS44S-400	3- phase + N Type 2 SPD for 230/400 Vac network (with remote signal)
DS44S-440	3- phase + N Type 2 SPD for 230/400 Vac network (with remote signal)
DS44S-480	3- phase + N Type 2 SPD for 277/480 Vac network (with remote signal)
DS44S-600	3- phase + N Type 2 SPD for 274/600 Vac network (with remote signal)
DS44S-690	3- phase + N Type 2 SPD for 400/690 Vac network (with remote signal)
DS44S-120/G	3-phase + N Type 2 SPD for 120/208 Vac network (with remote signal)
DS44S-230/G	3-phase + N Type 2 SPD for 230/400 Vac network (with remote signal)
DS44S-275/G	3- phase + N Type 2 SPD for 230/400 Vac network (with remote signal)
DS44S-280/G	3- phase + N Type 2 SPD for 230/400 Vac network (with remote signal)
DS44S-320/G	3- phase + N Type 2 SPD for 230/400 Vac network (with remote signal)
DS44S-385/G	3- phase + N Type 2 SPD for 230/400 Vac network (with remote signal)
DS44S-400/G	3- phase + N Type 2 SPD for 230/400 Vac network (with remote signal)
DS44S-440/G	3- phase + N Type 2 SPD for 230/400 Vac network (with remote signal)
DS44S-480/G	3- phase + N Type 2 SPD for 277/480 Vac network (with remote signal)
DS44S-600/G	3- phase + N Type 2 SPD for 274/600 Vac network (with remote signal)
DS44S-690/G	3- phase + N Type 2 SPD for 400/690 Vac network (with remote signal)

Cette déclaration de conformité est établie sous la seule responsabilité du fabricant.

Basé sur l'évaluation volontaire d'échantillons de produits et sur les dossiers techniques correspondants, nous certifions que les produits listés ci-dessus satisfont aux dispositions de la **Directive Basse Tension 2014/35/EU** du Conseil de l'Union Européenne et sont conformes aux normes suivantes :

This declaration of conformity is issued under the sole responsibility of the manufacturer. Based on voluntary assessment of the product samples and technical file, We certify that the listed products, as mentioned above, comply with the provisions of the **Low Voltage Directive 2014/35/EU** of the Council of the European Union and are conformed by compliance with following European standards:

European standard	Description
EN 61643-11:2012 + EN 61643-11:2012/A11 : 2018	Low-voltage surge protective devices – Part 11: Surge protective devices connected to low-voltage power systems - Requirement and test methods.

Sèvres,
18/02/2018



Christian Macanda
Product Manager

CITEL 2 CP S.A.S.
Capital 5 013 500 €
2 rue Troyon
92316 SEVRES CEDEX
Tél. : 01 41 23 50 23
Fax : 01 41 23 50 09
Siren 387 740 095 - APE 2712Z