

Certificat UE de Conformité

EU Declaration of Conformity

CE

Société/Company : CITEL

Adresse/ Address : 2, rue Troyon 92310, Sèvres, France

Marque/ Trade Mark : CITEL

Gamme de produits : Parafoudre Type 2 pour réseau BT

Product Range : Type 2 SPD for AC Network

Références/Models	Utilisation / Application
DS71R-120	1-pole Type 2 SPD for 120 Vac network
DS71R-230	1-pole Type 2 SPD for 230 Vac network
DS71R-280	1-pole Type 2 SPD for 280 Vac network
DS71R-320	1-pole Type 2 SPD for 320 Vac network
DS71R-400	1-pole Type 2 SPD for 400 Vac network
DS71R-600	1-pole Type 2 SPD for 600 Vac network
DS71RS-120	1-pole Type 2 SPD for 120 Vac network (with remote signal)
DS71RS-230	1-pole Type 2 SPD for 230 Vac network (with remote signal)
DS71RS-320	1-pole Type 2 SPD for 320 Vac network (with remote signal)
DS71RS-400	1-pole Type 2 SPD for 400 Vac network (with remote signal)
DS71RS-600	1-pole Type 2 SPD for 600 Vac network (with remote signal)
DS72R-120	Single phase Type 2 SPD for 120 Vac network
DS72R-230	Single phase Type 2 SPD for 230 Vac network
DS72R-280	Single phase Type 2 SPD for 280 Vac network
DS72R-320	Single phase Type 2 SPD for 320 Vac network
DS72R-400	Single phase Type 2 SPD for 400 Vac network
DS72R-600	Single phase Type 2 SPD for 600 Vac network
DS72R-120/G	Single phase Type 2 SPD for 120 Vac network
DS72R-230/G	Single phase Type 2 SPD for 230 Vac network
DS72R-320/G	Single phase Type 2 SPD for 320 Vac network

DS72R-400/G	Single phase Type 2 SPD for 400 Vac network
DS72RS-120	Single phase Type 2 SPD for 120 Vac network (with remote signal)
DS72RS-230	Single phase Type 2 SPD for 230 Vac network (with remote signal)
DS72RS-280	Single phase Type 2 SPD for 280 Vac network (with remote signal)
DS72RS-320	Single phase Type 2 SPD for 320 Vac network (with remote signal)
DS72RS-400	Single phase Type 2 SPD for 400 Vac network (with remote signal)
DS72RS-600	Single phase Type 2 SPD for 600 Vac network (with remote signal)
DS72RS-120/G	Single phase Type 2 SPD for 120 Vac network (with remote signal)
DS72RS-230/G	Single phase Type 2 SPD for 230 Vac network (with remote signal)
DS72RS-320/G	Single phase Type 2 SPD for 320 Vac network (with remote signal)
DS72RS-400/G	Single phase Type 2 SPD for 400 Vac network (with remote signal)
DS73R-120	3-phase Type 2 SPD for 120/208 Vac network
DS73R-230	3-phase Type 2 SPD for 230/400 Vac network
DS73R-320	3-phase Type 2 SPD for 230/400 Vac network
DS73R-400	3-phase Type 2 SPD for 230/400 Vac network
DS73R-600	3-phase Type 2 SPD for 274/600 Vac network
DS73RS-120	3-phase Type 2 SPD for 120/208 Vac network (with remote signal)
DS73RS-230	3-phase Type 2 SPD for 230/400 Vac network (with remote signal)
DS73RS-320	3-phase Type 2 SPD for 230/400 Vac network (with remote signal)
DS73RS-400	3-phase Type 2 SPD for 230/400 Vac network (with remote signal)
DS73RS-600	3-phase Type 2 SPD for 274/600 Vac network (with remote signal)
DS73RS-120/G	3-phase Type 2 SPD for 120/208 Vac network (with remote signal)

DS74R-120	3-phase + N Type 2 SPD for 120/208 Vac network
DS74R-230	3-phase + N Type 2 SPD for 230/400 Vac network
DS74R-280	3-phase + N Type 2 SPD for 280 Vac network
DS74R-320	3-phase + N Type 2 SPD for 230/400 Vac network
DS74R-400	3-phase + N Type 2 SPD for 230/400 Vac network
DS74R-120/G	3-phase + N Type 2 SPD for 120/208 Vac network
DS74R-230/G	3-phase + N Type 2 SPD for 280 Vac network
DS74R-280/G	3-phase + N Type 2 SPD for 230/400 Vac network
DS74R-320/G	3-phase + N Type 2 SPD for 230/400 Vac network
DS74R-400/G	3-phase + N Type 2 SPD for 230/400 Vac network
DS74RS-120	3-phase + N Type 2 SPD for 120/208 Vac network (with remote signal)
DS74RS-230	3-phase + N Type 2 SPD for 230/400 Vac network (with remote signal)
DS74RS-320	3-phase + N Type 2 SPD for 230/400 Vac network (with remote signal)
DS74RS-400	3-phase + N Type 2 SPD for 230/400 Vac network (with remote signal)
DS74RS-120/G	3-phase + N Type 2 SPD for 120/208 Vac network (with remote signal)
DS74RS-230/G	3-phase + N Type 2 SPD for 230/400 Vac network (with remote signal)
DS74RS-320/G	3-phase + N Type 2 SPD for 230/400 Vac network (with remote signal)
DS74RS-385/G	3-phase + N Type 2 SPD for 385 Vac network (with remote signal)
DS74RS-400/G	3-phase + N Type 2 SPD for 230/400 Vac network (with remote signal)
DS71R-48DC	1-pole Type 1 and Type 2 SPD for 48 Vdc network
DS72R-48DC	2-pole Type 1 and Type 2 SPD for 48 Vdc network
DS72RS-48DC	2-pole Type 1 and Type 2 SPD for 48 Vdc network (with remote signal)

Cette déclaration de conformité est établie sous la seule responsabilité du fabricant.

Basé sur l'évaluation volontaire d'échantillons de produits et sur les dossiers techniques correspondants, nous certifions que les produits listés ci-dessus satisfont aux dispositions de la **Directive Basse Tension 2014/35/EU** du Conseil de l'Union Européenne et sont conformes aux normes suivantes :

This declaration of conformity is issued under the sole responsibility of the manufacturer.

Based on voluntary assessment of the product samples and technical file, We certify that the listed products, as mentioned above, comply with the provisions of the **Low Voltage Directive 2014/35/EU** of the Council of the European Union and are conformed by compliance with following European standards:

<i>European standard</i>	<i>Description</i>
EN 61643-11:2012 + EN 61643-11:2012/A11 : 2018	Low-voltage surge protective devices - Part 11: Surge protective devices connected to low-voltage power systems - Requirement and test methods.

Sèvres,
18/02/2018



CITEL 2 CP S.A.S.
Capital 5 013 500 €
2 rue Troyon
92316 SEVRES CEDEX
Tél. : 01 41 23 50 23
Fax : 01 41 23 50 09
Siren 387 740 095 - APE 2712Z

Christian Macanda

Product Manager